

# RASTER: THE 'OTHER' GIS DATA

## OBJECTIVES

- Understand the raster format and how it is used to model continuous geographic phenomena.
- Understand how projections & coordinate systems affect the outcome of geoprocessing tools.
- Know how to project raster datasets.
- Know how to use raster modeling to measure distance.
- Know how to create Hillshade images.
- Know how to extract raster values to vector data.
- Know how to use the Surface
- Know how to use Map Algebra to calculate new raster layers from a set of raster variables.
- Know how to use the classification tool to reclass raster datasets.
- Know how to 'Clip' a raster dataset to a vector layer.
- Know how to apply Symbology to a raster dataset.
- Know how to create isometric contours from raster data.
- Know how to resample raster data from one resolution to another.

## THE RASTER DATA MODEL

Surfaces are continuous geographic phenomena that cannot be described as discrete 'Features.' Surfaces are generally modeled as 'Raster' data, of which the most familiar type is the digital photograph. Things like elevation, temperature, slope and precipitation have measurable values for any particular location on the earth's surface.

To model these phenomena, an area of interest is divided into an array of identically sized squares. The centers of these squares then become the 'sample points.' The values of the variable of interest are recorded, or estimated, at each of the sample points. These values can then be assigned colors, or shades of gray, in order for them to be visualized.


This tutorial will introduce you to some of the basic skills necessary to have when using raster data in your analysis. This tutorial is in no way comprehensive, rather it is intended to provide you with a base

## GETTING READY FOR THE TUTORIAL

### SIGN UP FOR THE GIS-L LISTSERV

The Yale University GIS-L Listserv is an internal University message system, devoted to GIS use and issues at Yale. The list is the primary source for updates on software and license server issues, data acquisitions and workshop announcements. All GIS users are encouraged to sign up for the list. The GIS-L list is very lightly used, so that you will not be overwhelmed with messages that are not relevant to you.

1. In your Web Browser, **Go To** the **Map Collection Website**, at [www.library.yale.edu/maps](http://www.library.yale.edu/maps)
2. Under the **Quick Links** section on the right,, **Click** on the "**Sign up for the Yale GIS-L Mailing List**" link to go to the GIS-L registration page.
3. **Enter** your **Email Address** and **Choose** a **Password**.




Note: We suggest that you not select the Daily Digest feature.


4. **Click** on the **Subscribe Button** to finish.

You should receive a confirmation email shortly afterward, with instruction on how to use the GIS-L list.

## DOWNLOAD THE DATA

The datasets used in this tutorial are available for download on the Map Collection Website. Feel free to download and use these tutorial materials, as you wish, and to pass them along to interested colleagues.




1. **Return** to the **Map Collection Homepage**, in your **Web Browser**.
2. Under the **Quick Links Section** on the right, **Click** on the **"Download Gis Workshop Materials"** link.
3. **Find** the **"Data"** Link for the ArcGIS 9.2 **"Raster: The 'Other' GIS Data"** and **Right-Click** on the **Link**.
4. In **Firefox**, **Select "Save Link As,"** in **Internet Explorer**, **Select "Save Target As..."**
5. Depending on your browser and setup, you may be offered a **Browse Window**, to select the folder into which you want the downloaded file placed. If so, **Browse** to a **Folder** on your hard drive that you have write permission for. For this tutorial, we will assume that you are using the **C:\temp** folder of the machine you are working on.
6. **Clicking** on the **Create New Folder**  **Button, Create a New Folder**, using your initials as the name of the folder, so that you end up with a full path something like: **C:\temp\your\_initials\**
7. **Save** the **Downloaded File** to this **New Folder**.

## UNZIP THE DATA

You should now have a file called "01-Introduction to ArGIS\_92.zip" in your new folder. It is now necessary to decompress, or unzip, the tutorial data for use. Note that in Microsoft Windows XP and Vista, it is possible to "Explore" a compressed file, as if it were a folder. ArcMap does not support this type of browsing, so it is necessary to actually unzip the file for use. This part of the tutorial assumes that you are using Windows' built in Compressed File support.

1. **Browse** into the **Folder** where you saved the **04-Raster\_The\_Other\_GIS\_Data.zip** file.
2. **Right-Click** on the **File** and **Select "Extract All..."**
3. **Click Next** to arrive at the window shown at the right.
4. Under **"File Will Be Extracted To This Directory:"** **Remove** the **\04-Raster\_The\_Other\_GIS\_Data\** part of the **Path Name** (this is redundant, as the zip file contains a



directory structure of its own).

5. **Click Next to Extract the File.**
6. Once the extraction has completed, you can **Uncheck “View Extracted Files”** and **Click Finish.**

## EXPLORE THE DATA IN WINDOWS EXPLORER

Now you will take a look at the data you have extracted, using Windows Explorer. This part of the tutorial is designed to familiarize you with the difference between how Windows recognized common spatial dataset filetypes, and how ArcGIS recognizes them.

1. **Browse** into the extracted **C:\temp\your\_initials\04-Raster\_The\_Other\_GIS\_Data\Data\Raster\** Folder.


This folder contains three (3) raster datasets, and a single shapefile that describes the footprint of one of those raster datasets. Note that these four files are composed of many folders and files. Of particular importance is the fact that **DATA FOR ALL THREE RASTER DATASETS IS CONTAINED IN A SINGLE “info” FOLDER!**

2. **Browse** into the **.info** Folder.

Note that there is no clear indication of what files contain information about your individual raster datasets. This means that there is really no way to move, copy, paste and perform other common maintenance functions on raster datasets within Windows Explorer interface.

## EXPLORE THE DATA IN ARCCATALOG


Now you will take a look at the same data using ArcCatalog, the ArcGIS version of Windows Explorer, which is designed to interact with these types of spatial data filetypes.



1. **Go To Start>Programs>ArcGIS>** and **Launch** the ArcCatalog program.
2. Using the **“Catalog Tree” Panel**, at the left side of the ArcCatalog application window, **Browse** to your **C:\temp\your\_initials\04-Raster\_The\_Other\_GIS\_Data\Data\Raster\** Folder.
3. **Make Sure** that the **“Contents” Tab** at the top of the **“Catalog Display”** on the right side of the ArcCatalog Application Window is active.

*Note the difference in how ArcCatalog and Windows display raster datasets. ArcCatalog ‘knows’ that a raster dataset is actually a collection of files & folders, so it only shows you a single file, where Windows Explorer showed all of the files.*


*You should always use ArcCatalog for Moving, Deleting, Copying, etc... any spatial data files, for this reason. Using ArcCatalog for these tasks prevents critical parts of the spatial data files from being ‘left out’ and rendered useless. This is particularly true in the case of Raster data, where multiple raster datasets in a folder will “share” the “info” folder and their individual properties will be concatenated. While Windows Explorer is incapable of extracting this concatenated information (and therefore, you cannot move, copy, delete, files without rendering them useless), ArcCatalog “knows” how to untangle the datasets from one another.*





## WORKING WITH RASTER DATA IN ARCMAP




### PROJECTING RASTER DATA

1. **Open** the Map Document, *Rasters.mxd*, by **Double-Clicking** on it.
2. In the **Table of Contents**, **Right-Click** on the *ned\_91749882 Layer* and **Open** its **Properties**.
3. **Click** on the **Source Tab** and **Scroll Down** to examine the **Spatial Reference Information**.



Note that this dataset is currently using the Geographic Coordinate System (Lat/Lon) and the North American Datum 1983. There are two reasons we want to project this data to another Projection/Coordinate System. First, the other datasets in this project, and the project itself, are using the UTM projection. Not using the same projection across layers can cause problems in overlay functions (extracting data from one layer to another). Second, and as important, Latitude & Longitude are angular measurements of position, relative to the center of the Earth. Tools that calculate surface parameters (Slope, aspect, etc...) in ArcGIS assume that the cell size of a raster dataset is measured in the same units as the elevation values. Since the *ned\_91749882 Layer* is in GCS, its cell size is expressed in angular units, rather than linear units. ArcGIS 9.2 now takes care of this by calculating a Z factor that converts the elevation units to units comparable with the units of cell size. While this works fairly well at the local level (large scale), using a single Z Factor in this way will introduce error at the small scale (global level) since degrees of Longitude vary in linear width as you move north and south. For this reason, it is always more desirable to determine a projection system appropriate for the scale, region and focus of your project and convert your data from GCS to that projection.

4. **Close** the **Layer Properties Dialog**.
5. **Open** the **Arctoolbox** using the **Arctoolbox**  **Button**.
6. **Click** on the **Search Tab** at the bottom of the **Arctoolbox Panel** and **Search** on the term "**Project Raster**".
7. **Double-Click** on the **Project Raster Tool** to **Open** it.
8. **Select** the *ned\_91749882 Layer* as the **Input Raster**.
9. **Browse** to the *C:\temp\your\_initials\04-Raster\_The\_Other\_GIS\_Data\Data\Raster\ Folder* and **Save** the **Output Raster** as "**Elevation**".
10. **Click** on the **Properties**  **Button** to select the **Output Coordinate System**.
11. In the resulting dialog, **Click** on the **Import Button**.
12. **Browse** to the *C:\temp\your\_initials\04-Raster\_The\_Other\_GIS\_Data\Data\Shapefile\ Folder* and **Select** the *Study\_Area\_polygon.shp* file.




13. **Click Add.**
14. **Click Ok** twice to **Apply** the **UTM Projection** to the **ned\_91749882 Layer**.
15. The resulting **elevation Layer** will be added to your map document.
16. In the **Table Of Contents Panel**, **Drag** the **elevation Layer** into the **Surfaces Group** and **Turn Off** the **Visibility** of the original **ned\_91749882 Layer**.

## HOW TO 'CLIP' A RASTER DATASET TO A VECTOR LAYER

Raster datasets can be very large, and consequently, calculations based upon those datasets can be quite processor intensive. To minimize the processing time needed to work with raster data, as with all data formats, it is always desirable to subset to only the area of direct interest.

1. **Return** to the **Arctoolbox Search Tab** and **Search** on the term "clip".
2. **Double-Click** on the **Clip Tool** from the **Data Management Toolbox** to **Open** it.
3. **Select** the **elevation Layer** as the **Input Raster**.
4. For the **Output Extent**, **Browse** to the **C:\temp\your\_initials\ 04-Raster\_The\_Other\_GIS\_Data\ Data\Raster\ Folder** and **Select** the **Study\_Area\_polygon.shp** file and **Click Add**.
5. **Save** the **Output Raster Dataset** to the **C:\temp\your\_initials\ 04-Raster\_The\_Other\_GIS\_Data\ Data\Raster\ Folder** as **elev\_clip** (be sure you remove any file extension, which determines the type of raster dataset).
6. **Click Ok** to **Apply** the **Clip**.
7. **Drag** the resulting **elev\_clip Layer** to the top of the **Surfaces Group** and **Turn Off** the **Visibility** of the **elevation Layer**.




## KNOW HOW TO USE THE SURFACE TOOLS TO CALCULATE PARAMETERS OF LANDSCAPE


1. **Return** to the **Arctoolbox Search Tab** and **Search** on the term "slope".
2. **Double-Click** on the **Slope Tool** from the **Spatial Analyst Toolbox** to **Open** it.

*Note: You may need to enable the Spatial Analyst Toolbox from the Tools>Extensions Dialog, accessible from the Main Menu.*


3. **Select** the **elev\_clip Layer** as the **Input Raster**.
4. **Save** the **Output Raster** as **slope\_utm** in the **C:\temp\your\_initials\ 04-Raster\_The\_Other\_GIS\_Data\ Data\Raster\ Folder**.




5. **Change** the **Output Measurement** to **PERCENT\_RISE**.
6. **Click Ok** to **Calculate** the **Slope Parameter**.
7. **Drag** the resulting **slope\_utm** layer into the top of the **Surfaces Group**.



## USING MAP ALGEBRA TO CALCULATE NEW RASTER LAYERS FROM A SET OF RASTER VARIABLES


1. **Click** on the **Add Data**  **Button** and **Browse** to the **C:\temp\your\_initials\04-Raster\_The\_Other\_GIS\_Data\Data\Raster\ Folder**.
2. **Add** the **slope raster** dataset to your **Map Document**.
3. **Drag** the **slope Layer** to just below the **slope\_prj Layer** in the **Surface Group**.
4. **Return** to the **ArcToolBox Search Tab** and search on the term **“map algebra”**.
5. **Double-Click** on the **Single Output Map Algebra Tool** to **Open** it.
6. **Click** on the **“Input Raster Or Feature Data To Show In ModelBuilder...”** item to **Open** it and **Use The Drop Down** to **Add** both **slope** and **slope\_utm** to the **List**.
7. **Double-Click** on the **Surface\slope\_utm** layer you just added to the **Input Raster List**.
8. **Enter** a **Space**, followed by the **‘-’** to **Subtract**, followed by a **Space**.
9. **Double-Click** on the **Surface\slope** layer, from the **Input Raster List**.



10. Click on the **Environments** Button and then click on the **General Settings** Item, to expand its options.

11. **Use The Drop-Down To Set** the **Extent** to **“Same as layer slope\_utm.”**





12. **Click Ok** twice to run the algebraic expression you just created.


13. The result will be added to your maps document, you may want to **Turn Off the Visibility** of other layers to better examine the results.


What you have created is a new raster layer that reflects the difference between the two input raster layers. Here, this represents the error introduced into the Slope calculation by running the Slope Tool on a dataset that is in Lat Long coordinates, rather than a projection that has a linear unit that matches the elevation units.

## HOW TO CREATE A DISTANCE RASTER

As noted before, the raster data model is used to represent spatial phenomena that vary continuously through space. This includes distance. One of the most useful capabilities is the ability to create a raster layer that describes the distance from a given set of features to every point on the map.

1. **Return** to the **Arctoolbox Search Tab** and **Search** on the term “**distance**”.
2. **Double-Click** on the **Euclidean Distance Tool** to **Open** it.
3. **Select** the **New Haven Air Release 2002 D Layer** as the **Input Feature Source Data**.
4. **Name** the **Output Distance Raster** as **dist2tox** and **Save** it to the **C:\temp\your\_initials\04-Raster\_The\_Other\_GIS\_Data\ Data\Raster\ Folder**.
5. **Set** the **Output Cell Size = 100**
6. **Click** on the **Environments Button** and **Set** the **General Settings>Extent** to “**Same As Layer Study\_Area\_Polygon.**”
7. **Click Ok** twice to **Calculate** the **dist2tox** layer.






You should now have a raster dataset in which the value of every pixel reflects the Euclidean distance (in meters, the linear unit of the UTM Projection System) to the nearest Air Toxic Release site.

## HOW TO EXTRACT RASTER VALUES TO VECTOR DATA

Now, suppose that you would like to make the distance value you have calculated an attribute of the schools Layer, so that you can examine the relationship between proximity and some other variable. Here, you will extract the underlying raster value from the dist2tox Layer to each of the school points. Conceptually, this is similar to passing the points through the raster, so that it “imprints” its attribute on the points layer.

1. **Return** to the **Arctoolbox Search Tab** and **Search** on the term “**Extract**”.
2. **Double-Click** on the **Extract Values To Points Tool**, from the **Spatial Analyst Toolbox**, to **Open** it.
3. **Select** the **New\_Haven\_Schools\_with\_SF1 Layer** as the **Input Point Features**.
4. **Select** the **dist2tox Layer** as the **Input Raster**.
5. **Name** the **Output Point Features Shapefile** **New\_Haven\_Schools\_with\_SF1\_dist2tox** and save it to the **C:\temp\your\_initials\04-Raster\_The\_Other\_GIS\_Data\Data\Shapefile\** Folder.
6. **Click Ok** to **Extract** the **Raster Values** to the school points.
7. When the **Extraction** has completed, **Right-Click** the new **New\_Haven\_Schools\_with\_SF1\_dist2tox Layer** and **Open** its **Attribute Table**.
8. **Scroll** to the **Far Right** and note that the **distance in meters to the nearest toxic air release site** has been added as an attribute.
9. **Close** the **Attribute Table**.






FAMILIES	AVE_FAM_SZ	HSE_UNITS	VACANT	OWNER_OCC	RENTER_OCC	SQMI	NONWHITE	RASTERVALU
341	3.61	462	49	135	278	0.17	1017	1044.03064
341	3.61	462	49	135	278	0.17	1017	1077.032959
185	3.22	322	22	126	174	1.36	292	2302.172652
217	2.76	496	22	216	258	0.97	185	2973.213867
402	3.1	687	48	243	396	1.05	924	1615.549438
111	2.61	278	10	93	175	0.12	135	2109.502197
244	3.14	500	59	164	277	0.17	450	141.421356
259	3.19	406	11	244	151	0.31	649	4244.99707
288	2.89	599	100	144	355	0.13	949	3101.612549
145	3.26	265	14	81	170	0.1	487	4272.001953
188	2.6	563	18	90	455	0.07	235	2137.755859
110	2.56	324	5	102	217	0.11	179	2236.067871
375	3.47	683	69	145	469	0.08	1309	3443.834961

## HOW TO USE THE CLASSIFICATION TOOL TO RECLASS RASTER DATASETS

In some cases you may want to reclassify your raster data in order to examine how that classification creates “zones.” For example, you may want to examine the effect of sea level rise on coastlines. Here you will reclassify the elev\_clip data to reflect an increase in se levels.


1. **Toggle** the **Visibility** of your **Layers** in the **Table Of Contents Panel** until you have only the **elev\_clip Layer** visible.
2. **Return** to the **Arctoolbox Search Tab** and **Search** on the term “**Reclass**”.
3. **Double-Click** on the **Reclassify Tool** from the **Spatial Analyst Toolbar** to **Open** it.
4. **Select** the **elev\_clip Layer** as the **Input Raster**.
5. **Click** on the **Classify... Button**.
6. **Change** the **Method Drop-Down** to **Equal Interval**, so that the **Classes Drop-Down** is enabled.
7. **Change** the **Number Of Classes** to **2**.
8. Under **Break Values** **Change** the **First Value** to **0**.
9. **Click Ok**.
10. **Name** the **Output Raster** ‘**coast**’ and **Save** it to the **C:\temp\your\_initials\04-Raster\_The\_Other\_GIS\_Data\Data\Raster\**



Folder.


11. **Click Ok** to **Apply** the **Reclassification**.
12. The new “**binary**” raster, **coast**, will be added to your **Table Of Contents Panel**.
13. **Return** to the **Reclassify Tool**.
14. **Select** the **elev\_clip Layer** as the **Input Raster**.
15. **Click** on the **Classify... Button**.

16. **Change** the **Method Drop-Down** to **Equal Interval**, so that the **Classes Drop-Down** is enabled.
17. **Change** the **Number Of Classes** to **2**.
18. Under **Break Values**, this time **Change** the **First Value** to **10**.
19. **Click Ok**.
20. **Name** the **Output Raster** 'coast\_10' and **Save** it to the **C:\temp\your\_initials\04-Raster\_The\_Other\_GIS\_Data\Data\Raster\ Folder**.
21. **Click Ok** to **Apply** the **Reclassification**.
22. The new "binary" raster, **coast\_10**, will be added to your **Table Of Contents Panel**.




## HOW TO CREATE ISOMETRIC CONTOURS FROM RASTER DATA

One of the more familiar ways of depicting elevation is with the use of isometric contour lines. They are the concentric lines visible on USGS Topographic maps that visually indicate changing elevation. These lines can likewise be applied to any raster data, and where appropriate can create striking visual representations of changing values in the variable of interest. Here you will create contours based upon the elev\_clip dataset.



1. **Toggle** the **Visibility** of your **Layers** so that the **elev\_clip** layer is, again, the only visible layer.
2. **Return** to the **Arctoolbox Search Tab** and **Search** on the term "**Contours**".




3. **Double-Click** on the **Contour Tool** from the **Spatial Analyst Toolbox**, to **Open** it.
4. **Select** the **elev\_clip** **Layer** as the **Input Raster**.
5. **Name** the **Output Polyline Features** 'contour\_5m' and **Save** it to the **C:\temp\your\_initials\04-Raster\_The\_Other\_GIS\_Data\Data\Shapefile\ Folder**.

6. **Set** the **Contour Interval** to **5** (this will create 5 meter contours).
7. **Click Ok** to create the **contour\_5m Layer**.

## HOW TO CREATE HILLSHADE IMAGES

1. **Return** to the **ArcToolbox Search Tab** and **Search** on the term "**Hillshade**".
2. **Double-Click** on the **Hillshade Tool** from the **Data Management Toolbox** to open it.
3. **Select** the **elev\_clip** layer as the **Input Raster**.
4. **Name** the **Output Raster** '**hillshade**' and **Save** it to the **C:\temp\your\_initials\04-Raster\_The\_Other\_GIS\_Data\Data\Raster\** Folder.
5. **Set** the **Z Factor** to **2** (This setting will "exaggerate" the elevation by a factor of 2, providing greater emphasis of the topography).
6. **Click Ok**.



## HOW TO APPLY SYMBOLOGY TO A RASTER DATASET.

Finally, we will briefly explore the options for symbolizing raster data. As you have seen, ArcMap defaults to certain symbologies, sometimes based upon the type of processes the raster has been derived from. Here, we will adjust the symbology of the **elev\_clip** Layer and use it in combination with the **Hillshade** and **contour** layers to create a cartographic representation of the landscape.

1. **Drag** the **elev\_clip Layer** so that it is below the **contour\_5m Layer** and above the **Hillshade Layer**.
2. Make sure that the **contour\_5m**, **elev\_clip** and **Hillshade Layers** are the only visible layers.
3. **Right-Click** on the **elev\_clip Layer** and **Open** its **Properties**.
4. **Click** on the **Symbology Tab**.
5. **Select** an appropriate **Color Ramp** from the drop-down (one that ranges several colors would be best).
6. **Click** on the **Display Tab**.
7. **Set** the **Transparency** of the **elev\_clip Layer** to **50%**.
8. **Click Ok** to **Apply** the **Changes** and **Close** the **Properties Dialog**.
9. **Toggle** the **Visibility** of the **contour\_5m Layer**, if necessary, to observe the shaded effect you have created.

